

XP-002177893

- AN - 1980-59450C [34]
 A - [001] 011 032 034 04- 041 046 047 05- 061 062 063 064 087 143 144 147
 199 229 257 308 33& 336 38- 398 428 43& 431 440 443 46& 477 481 482
 489 540 551 560 566 567 572 575 595 643 645 674 688 720 723
 CPY - SUME
 DC - A94 P73 Q67
 FS - CPI;GMPi
 IC - B29D23/01 ; B32B1/08 ; B32B5/18 ; F16L11/00
 KS - 0009 0011 0209 0210 0231 0239 0759 0941 0942 0947 1279 1291 1306 1595
 1987 2413 2427 2434 2437 2491 2506 2524 2525 2527 2534 2628 2634 2653
 2680 2723 2726 2765 2768
 MC - A04-E08 A11-B09A A12-H02B A12-V03
 PA - (SUME) SUMITOMO ELECTRIC IND CO
 PN - JP55090347 A 19800708 DW198034 000pp
 - JP60056619B B 19851211 DW198602 000pp
 PR - JP19780164058 19781228
 XIC - B29D-023 01 ; B32B-001/08 ; B32B-005/18 ; F16L-011/00
 AB - J55090347 Flexible tube comprises an inner porous tube of PTFE, a
 layer of fibres spirally wound about the inner tube, and an elastomer
 coating united to the outer surface of the fibre layer. Tube is made
 by (i) winding fibres spirally about a porous tube of PTFE; (ii) heat
 setting the fibres at <=327 degrees C; (iii) coating the outer surface
 of the fibre layer with a soln. of an elastomer prepn. or a liq.
 elastomer prepn.; and (iv) drying.
 - Fibres of a fluoro-resin, polyester, polyethylene, PVC, etc. care used
 in mono- or pref. multifilament form. Elastomer coating is of
 fluororubber, silicone rubber, epichlorohydrin rubber, natural rubber,
 etc. Fluororubber, epichlorohydrin rubber, etc. are suitable for
 making a tube having low gas permeability.
 - Tube can be bent without collapsing or tearing and is useful for
 insertion or passage of substance, partic. for medical applications.
 AW - POLY TETRA FLUOROETHYLENE MEDICAL
 AKW - POLY TETRA FLUOROETHYLENE MEDICAL
 IW - FLEXIBLE TUBE SELF LUBRICATE INNER SURFACE COMPRISE ELASTOMER COATING
 FIBRE SPIRAL WOUND INNER POROUS TUBE PTFE
 IKW - FLEXIBLE TUBE SELF LUBRICATE INNER SURFACE COMPRISE ELASTOMER COATING
 FIBRE SPIRAL WOUND INNER POROUS TUBE PTFE
 NC - 001
 OPD - 1978-12-28
 ORD - 1980-07-08
 PAW - (SUME) SUMITOMO ELECTRIC IND CO
 TI - Flexible tube with self-lubricating inner surface - comprising
 elastomer coated fibres spirally wound around inner porous tube of
 PTFE